

R.M. of Edenwold No. 158

Email: info@edenwold-sk.ca Phone: (306) 771-2522 Fax: (306) 347-2970

Building	Permit	Applic	ation
Dunania	1 C 11111		auvii

bunding i crime Appli	Cation								
Civic Address:			Subdiv	ision:			Permit Number:		
Legal Land Description: Lot	:Blo	ockPla	an						
Quarter Section	Townsl	nipRange	W2I	М					
	1				1 - 1				
Owner:	Addres	ss:			reie	phone:			
	City/To	ownPo	ostal Cod	lo.	Cell:				
Building Contractor:	City/10	JWIIF0	JStai COC	ie	Tele	phone:			
	Addres	SS:			Cell:				
	City/To	ownPo	ostal Coc	le	Ceii.	•			
Floor Area:	1					_			
Ground Floor: Secon		d Floor: ft² or m²	Basen	nent: ft² or m²		Accesso	ssory/Other: ft² or m²		
(circle one)	(circle on		(circle c				e one)		
Building:									
Estimated Value of Constru	iction:	Length:		Width:			Height:		
		(circle one) ft or m		(circle one)	or m		ft or m		
Read Through and Initial	After Fac	h Statement							
			l existing	and proposed buildi	ngs, the	distances	between all property lines and the closes		
wall of the nearest building, the lo	cation of all	existing and proposed road	ds and a r	orth arrow to establi	sh the c	orientation	of the site plan		
		• •					compliance with the municipal building ns that may or may not be carried out by		
and that it is my responsibility to	contact the m	unicipal building inspector	r at the re	equired intervals of co	onstruct	ion will res	ion, as outlined in the building bylaw, ult in deductions from the occupancy e municipal building bylaw.		
I understand that this permit expi permit was issued; and any deviat					-		o years from the date on which the authorized representatives		
I understand that additional inspe	ction fees ma	y be charged for extra insp	ections,	non-scheduled inspec	tions a	nd re-inspe	ctions		
I understand that the RM will obta	in this prope	rty Title at my expense if I	do not p	rovide a copy to them	at the	time of app	olication.		
Date of Application	 Ov	vner of Authorized Age	ent (prir	nt)		_	wner/Agent (sign)		

Please plan on applying for a building permit 4 to 6 weeks before construction is set to begin to allow time for our Building Official to review the application.



5 Gregory Avenue East Box 517 Stn. Main White City, SK S4L 5B1

Ph: 306-536-1799

Fax: 306-781-2112 Email: office@pro-inspections.ca Website: www.pro-inspections.ca

Pre-Move and Post-Move Inspections

(For Buildings Moved In)

A **Pre-Move** Inspection:

- Identifies what items need to be corrected in order to bring the building up to NBC minimum standards. Note that many existing homes do not meet Code.
 - According to The Uniform Building and Accessibility Standards Act, Section 7(1) states:
 - Subject to subsections (2) and (3), the owner of each building in Saskatchewan shall ensure that the building is designed, constructed, erected, placed, altered, repaired, renovated, demolished, relocated, removed, used or occupied in accordance with the building standards.
 - Once any structural change is made to a building (i.e. relocation) the building standards apply. The Pre-Move inspection identifies what these NBC requirements are so that the owner can make an informed decision before purchasing and/or moving the building.
 - The pre-move fee is a small price to pay if an owner learns that it will cost thousands (if not tens of thousands) of dollars in upgrades once moved in order to meet the minimum standards.
- Determines if the structural integrity of the building can withstand the move.
- Confirms if the building meets the bylaws of the municipality it is being moved to.
- Communicates to the municipality, through information and photos, so that Council
 can make an informed decision about approving or rejecting the building.

If it is a newer building that has already had NBC inspections done during the course of construction, then PBI may request and review the inspection reports. If it is a RTM or modular home that was constructed out of province or country, then a compliance certificate issue number (from CSA, Intertek, QAI or equivalent) is required indicating that the home was built to CSA-A277 standards.

If approved by Council, a building permit is required for the **Post-Move** inspections:

- Plan Review to ensure that the placement of the building on the property meets local building bylaws and NBC requirements. If a deck, attached garage and/or basement development is also being constructed with a dwelling, then a plan review for these projects will be done. These projects are included with the permit only if the plans are provided at the plan review stage. If not, then a separate building permit will need to be taken out for each project built at a later date.
- **Foundation** inspection prior to pouring the concrete foundation walls to ensure they comply with the site-specific, engineer stamped foundation designs (or prior to backfilling if it is a wood foundation.)
- Anchoring inspection prior to backfilling to check the anchoring of the building to the foundation.
- **Framing** inspection is required prior to insulating if there is an <u>insulated</u> attached garage or basement development.
- Occupancy/Final inspection prior to moving in or sleeping overnight. All NBC life safety items listed in the Pre-Move inspection report and/or Plan Review must be completed before moving in. If all interior and/or exterior work is not yet completed, then a Final Re-Inspection will be required in order to close the permit.



Residential **Permit Information Form (PIF)**

Box 517 Stn. Main White City, SK S4L5B1 Ph: 306-536-1799 Fax: 306-781-2112

	Inspections,						office@pro-inspections.ca
		Mun	icipal Of	ffice Use	Only		
	Municipality	/:				Date:	
D	Development Approved					umber:	24-
	Geotech Required				Permit Expir	y Date: nature:	
	Municipal Official				_		
	<u>Inf</u>	formation Below C		omplete mail Conse		<u>plican</u>	<u>ıt</u>
	Building Owner:				Home Pho	one;	
	Mailing Address:				Cell Pho		
En	nail Address Owner:						
	Contractor:				Busines	 SS:	
	Contact Person:				Cell Pho	ne:	
Emai	il Address Contractor:						
	Signature:				Date:		
Buildi	mply in all regards with the ing Code of Canada). that owners should alwa	-	s on this for		Oue Act, Mainop	al Dulluling	3 Bylaws, and Mallonal
	Civic Address:						
l ,	Legal Land Location:						
_	egai Lanu Location.	Lot(s)	Block		Plane No		
	or:						
	Description:	Quarter Section	Township		Range		Meridian
Su	ıbdivision / Landmark:						
			Draina				
* Plea	see fill in Sections 1a) r			t Dotails			
1a)		lus 1b), or just Section		t Details			
1 a)	Single Family Dwelling	olus 1b), or just Section (Select One Permit Typ	on 2)		ıe Dwelling)		
10)			on 2)	Describes th	ne Dwelling) □ Modular Hor	ne	□ Duplex Unit
1a) 1b)	Single Family Dwelling	(Select One Permit Typ □ RTM	ion 2) De That Best Post-N	Describes th	□ Modular Hor		·
,	Single Family Dwelling New Home Select Below ALL that Basement	(Select One Permit Typ □ RTM	ion 2) De That Best Post-N	Describes the Move	☐ Modular Hore the plans submitted Garage	ed to PB∣ □ Atta	I for Review: ached Garage
1b)	Single Family Dwelling New Home Select Below ALL that Basement Development	(Select One Permit Typ RTM 	ion 2) De That Best □ Post-N AND are inc	Describes the Move Iuded with to History ☐ Attache (Insula	☐ Modular Hore the plans submitted Garage ated)	ed to PB∣ □ Atta	I for Review:
,	Single Family Dwelling New Home Select Below ALL that Basement	(Select One Permit Typ RTM 	ion 2) De That Best Post-M AND are inc	Describes the Move Iuded with to History ☐ Attache (Insula	☐ Modular Hore the plans submitted Garage ated)	ed to PBI □ Atta (No	I for Review: ached Garage
1b)	Single Family Dwelling New Home Select Below ALL that Basement Development Residential Building Pr	(Select One Permit Typ RTM RTM Pertain to this Permit A Deck Deck	is Required frage	Describes the Move luded with the Attache (Insulator Each Projection)	□ Modular Hore the plans submitted Garage atted) iect type)	ed to PBI Atta (No	I for Review: ached Garage ot Insulated)
1b)	Single Family Dwelling New Home Select Below ALL that Basement Development Residential Building Pr Addition	(Select One Permit Typ RTM RTM Pertain to this Permit A Deck Deck Coject (Separate Permit is Attached Gara	on 2) De That Best Post-M AND are inci is Required for age	Describes the Move Luded with t Attache (Insulated Froje Deck Sunroo	□ Modular Hore the plans submitted Garage atted) iect type)	ed to PB	I for Review: ached Garage ot Insulated)



Residential Plan Review Checklist

Box 517 Stn. Main White City, SK S4L5B1 Ph: 306-536-1799 Fax: 306-781-2112 office@pro-inspections.ca

Project Information

Municipality: PBI Number: 24-														
Job Site Address:	Р	roje	ect .	Тур	e:									
Owner's Name:	Cell Phone:													
				Re	esid	lent	ial	Pro	ject	Туј	ре			
REQUIRED for a Plan Review	<u>.</u>		9	c. Suite)				(unheated)		ots a structure)		r)	Storage only - no living space & unheated
Provide <u>designs and required documents in PDF format</u> as indicated by the unshaded boxes for the project (shaded box means not required).	ing Un	-Move	d) Hom	ice / Se	or egress	ent	(pesol	(unheated)		(þe	apse affects	nent	or Hot Water)	g space
A plan review must be completed by PBI <u>before</u> a building permit is issued.	/ Hous	/ Post	acture	ng Spa	ructural	elopm	d or enc	ge (unt	cc. Bldg.	Building (unheated)	(if collapse	placer	(PV or h	- no livin
E-mail plans and documents in PDF format to the municipal office.	elling/	odular	Manufa	/ Livir	ion (st	nt Dev	ot covere	d Gara	age / A	Ilding	g Wall	ion Re	Panels	e only
Requirements may vary for unique or larger projects. Please consult with PBI.	New Dwelling / Housing Unit	RTM / Modular / Post-Move	Mobile (Manufactured) Home	Addition / Living Space / Sec.	Renovation (structural or egress)	Basement Development	Deck (not covered or enclosed)	Attached Garage	Det Garage / Acc.	Pole Bui	Retaining Wall	Foundation Replacement	Solar P	Storage
Site Plan (e.g. lot size & shape; indicate North; project size on lot, distance to all property lines, indicate what borders each property line, label streets, etc.)								*	*	*				
Building Plans (e.g. floor plans, exterior elevations, cross sections, structural details, window & door types, sizes & locations, stair configurations, material lists, specs, etc.)														
Energy Code Forms (applicable to compliance option, code edition & climate zone)														
Building Designs stamped by an engineer (project specific for intended use*)														
Foundation Designs stamped by a structural engineer (site specific)														
Geotechnical Report (if required by zoning bylaws or engineer recommendation)														
PBI Specifications sheet (plus all information requested in the sheets)														
Information Below is Required BEFORE THE FRAI	MIN	G II	NSP	EC1	ION	ı	l							_
Engineer-stamped roof truss designs & layouts (NBC compliant)														
Engineer-stamped floor truss and/or LVL designs & layouts														
Fireplace or Wood Stove Manufacturer Specifications														
Residential Mechanical Ventilation Design Summary														
* Pole Building (Please detail intended use. Note if vehicles will be repaired in the building	ng, it	buile	ding i	s for	perso	onal o	or bu	sines	s use	, etc.	.)			
	<u> </u>				-						-			

Signature:	Date:	
* I declare that I am the owner of the	is property, and I will notify PBI of any email changes if applicable.	

PBI - Rev. Dec 31, 2022

^{*} Please note that failure to receive an emailed report or related documents does not release the property owner (s) from their responsibility to comply in all regards with the building standards (Saskatchewan Construction Code Act, Municipal Building Bylaws, and National Building Code of Canada).

Development Permit Application



100 HUTCHENCE ROAD, EMERALD PARK, SASKATCHEWAN, S4L 1C6 PH: 306-771-2522 FAX: 306-347-2970

DP#	BP#				
1. To be filled out by the Applicant (Owner):					
Name:	Month	Day	Year		
Street Address:	City/Town Postal Code:				
Email:	Phone: Cell:				
2. Contractor (if applicable):	1				
Name:	Company Na	me:			
Street Address:	City/Town Postal Code:				
Email:	Phone: Cell:	-			
3. Legal Land Location for proposed development:					
Civic Address:	Lot: Block:	: Plan:	Ext:		
Subdivision:	Quarter:	Section:	Township:	Range:	W2M
Registered Plan #:	Certificate of	Title #:			
4. Existing Use of Land:	Current Zonii	ng:			
Agriculture Residential	Other (Pleas	se describe)			
Country Residential Industrial					
Commercial					
Provide a detailed description of proposed use of land a	ind/or buildings	S:			

Development Permit Application



100 HUTCHENCE ROAD, EMERALD PARK, SASKATCHEWAN, S4L 1C6

PH: 306-771-2522

FAX: 306-347-2970

5. Site Servicing:								
Parcel access provided by:								
Grid Road	Highway	Main Farm Access		Other				
Water Supply provided by:	Municipal Waterline	Private Well		Other				
Sewage Disposal provided by:	Existing (please specify t	ype of system)	sse specify type of system)					
Drainage provided by:	Existing (please specify)		Proposed (plea	ase specify)				
6. Surrounding land uses:			•					
Are any of the following with proposed development?	in 0.5 km of the	If yes, ple	ease provide bes	t estimate of distance				
Intensive livestock operation	Yes/No							
Sewage lagoon or wastewater treatment facil	Yes/No lity							
Solid waste disposal facility or	landfill Yes/No							
Stream or large body of water	Yes/No							
Anhydrous ammonia facility	Yes/No							
Industrial	Yes/No							
7. Declaration by Applicant I/We and that the information given or of the facts relating to this applic	n this form and the site plan is			registered owner(s) of the lands /our knowledge, a true statement				
Date		Signature						
Date		Signature						
I/We,hereby certify that I/we am/are the agent authorized to act on behalf of the registered owner(s) and hereby swear that all statements contained within this application are true, and I/we make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath, and by virtue of the Canada Evidence Act.								
Date		Signature						
Date		Signature						
Receipt #								

Letter of Authorization



100 HUTCHENCE ROAD, EMERALD PARK, SASKATCHEWAN, S4L 1C6

PH: 306-771-2522

FAX: 306-347-2970


I (We)				being the owner(s) of
		Plan		
Legal:				
NW/NE/SE	E/SW Section	Township	Range	W2 Meridian give
				permission to
act on by (our) behalf in apply	ring for a Development	Permit for the abov	e subject property.
Signature			_	
Date			_	

Development Permit #

5 Gregory Avenue East Box 517 Stn. Main White City, SK S4L 5B1 Ph: 306-536-1799

Fax: 306-781-2112 Email: office@pro-inspections.ca Website: www.pro-inspections.ca

Residential - Sample Site Plan



PBI - Rev. Oct 11, 2019 Page 1 of 1

(Indicate Street Name)



Airtightness Certificate

Box 517 Stn. Main White City, SK S4L5B1 Ph: 306-536-1799

Fax: 306-781-2112

Complete this form when the chosen energy efficiency design compliance path requires a verified post construction airtightness test:

- Tiered prescriptive achieves points through Table 9.36.8.8., or
- Tiered performance has an air-leakage rate of less than 3.2 ACH@50 Pa.

Building Address:									
Legal Address: Lot: Block:	Plan:	Subdivision: _							
Permit Application Number:									
Conditioned Space Volume (m³):									
Airtightness Declaration:	Reference	Proposed	Actual						
Input parameters:	Value	Value	7101001						
Airtightness (air changes per hour @ 50 Pa)									
Airtightness Design Units (circle one)	ACH ₅₀	NLA ₁₀	NLR ₅₀						
Zone Method (circle one)	Guarded	Unguarded							
Airtightness performer information:									
Name:	Company:								
Phone:	Email:								
I certify that I am knowledgeable, experienced and trained in the airtightness testing equipment and methodology. Testing has been completed in accordance with CAN/CGSB-149.10-M and meets or exceeds the expected results of the proposed model or design.									
Signature:	Date:								

Completed certificates must be submitted to office@pro-inspections.ca prior to Insulation and Vapour Barrier inspection.



Address

Cladding Type:

Comments:

Tiered Performance Compliance

Section 9.36 of the National Building Code of Canada

This form is intended to clarify the compliance with Section 9.36, Tier 2 performance path.

Must be completed by a competent person who is knowledgeable, experienced and trained in building design under Section 9.36 of the NBC and acceptable to the Authority Having Jurisdiction.

Occupancy Class													
Conditioned Space Volu	ume (m³)												
Performance Compliar Available only to houses w spaces whose total floor a	ith or withou	t seconda	ary suites							ing u	nits a	and o	commo
Input parameters (not re	quired for E	nerGuide	compliar	nce)		Re	feren	се	Model	Pr	opos	ed N	/lodel
Airtightness Level (air exc	-												
Heat Loss/Heat Gain													
HRV efficiency													
Thermal mass (MJ/m ² •°C)													
Ventilation rate (I/s)													
Fenestration and door to	wall ratio (FI	DWR) – r	eference	(%)									
Direction of front elevation	n (clearly circle one)			N S	NE SW		SE NW	N S	NE SW		SE NW		
Area of windows and doo	rs Front el	Front elevation (m²)											
	Rear ele	evation (m²)											
	Left elev	elevation (m²)											
	Right el	evation (r	m²)										
	Total ar	ea of win	dows (m²	?)									
	Total ar	ea of opa	ique door	s (m²	2)								
Energy use (GJ)													
Software Information													
Software title						Ve	rsion						
Is software Hot2000 or A Modelling summary report houses are required to be	rts generated		•		and p	orop	osed		Ye	s / N	0		
Proposed House - Build	ling Asseml	bly Detai	ls:										
	F	raming			Insul	atio	n	F	urnace Siz	e:			
Ceiling:	" O.C.			R		-		F	urnace Rat	ing:			
Exterior Wall:	2" x	@	" O.C.	R		-		V	Vater Heate	r:			
Tall Wall:	2" x	@	" O.C.	R		-		Н	IRV:			es/	□ No
Foundation Wall:	2" x	@	" o.c.	R		-		Α	ir Conditio	ner:			
Floor Headers:				R		-		Α	ir Barrier (I	NBC):			
Cantilever/Bonus Rm:	2" x	@	" o.c.	R		-		Α	ttic Hatch:				
Slab:	□ None □ Int □ Ext / (1.2m) thick -				_		D	oors (U-Vali	ues):				

Updated January 2024 Page 1 of 2

Windows:

(List all U-Values)



TIERED PRESCRIPTIVE COMPLIANCE

Section 9.36 of the National Building Code of Canada

This form is intended to clarify the compliance with Section 9.36, Tier 2 prescriptive path.

Must be completed by a competent person who is knowledgeable, experienced and trained in building design under Section 9.36 of the NBC and acceptable to the Authority Having Jurisdiction.

Address			
Occupancy Class			
Conditioned Space Volume (m³)			
Prescriptive Compliance Path (S All calculations and specifications	9.36.2. – 9.36.4.)	Conver	sions:
to be considered complete and be		R = 5.678 x RSI	U = 1 / RSI
- HRV / ERV: Yes □	No F280 Heat Gair	n/Loss Report must b	
		•	
Effective Thermal Resignation	stance of Above Ground Opaq		•
Assembly	w/ HRV	w/o HRV	Proposed
Ceilings below attics	8.67	10.43	
Cathedral / Flat roofs	5.02	5.02	
Walls & Rim joists	2.97	3.08	
Floors over unheated spaces	5.02		
Floors within garage	4.86		
Thermal Chara	cteristics of Fenestration, Doc	ors and Skylights (U)	
Assembly	Efficiency		Proposed
Windows & Doors	Maximum U-Value Minimum Energy Ra		
One door exception	Maximum U-Valu	ue 2.60	
Attic hatch	Minimum RSInon	_n 2.60	
Skylights	Maximum U-Valu		
Effective Thermal Resistance	ce of Below-Grade or In-Contac	ct-With-Ground Opaq	ue Buildings
	Assemblies (RSI)	,	
Assembly	w/ HRV	w/o HRV	Proposed
Foundation Walls	2.98	3.46	
Slab On Grade With Integral Footing	2.84	3.72	
Unheated Floor Below Frost Line	uninsulated	uninsulated	
	4.00	1.96	
Unheated Floor Above Frost Line Heated Floors	1.96 2.84	1.90	

Should trade off be proposed, all calculations must be attached to this form to be considered complete and be accepted for review. The location and extent of assemblies used in the calculations shall be clearly identified on the drawings by hatch or note.

Updated January 2024 Page 1 of 3



TIERED PRESCRIPTIVE COMPLIANCE

Section 9.36 of the National Building Code of Canada

HVAC Equipment Performance Requirements									
Equipment	Capacity KW	Standard	Min. Efficiency	Proposed					
Electric Heat Pump (split & single package)	≥ 19	See Tables 5.2.12.	1A to -P of Division B of the NECB						
Gas Fired Furnace	66 using single-phase electric current	CAN/CSA-P.2	AFUE ≥ 95% and must be equipped with a high-efficiency constant torque or constant airflow fan motor						
w or w/o A/C	≤ 66, through the wall furnace		E _t ≥ 78.5% AFUE ≥ 90%						
	<u><</u> 66 using three-phase electric current	ANSI Z21.47/CSA 2.3	AFUE ≥ 78% or E _t ≥ 80%						
	> 66 and <u><</u> 117.23	2.3	E _t ≥ 80%						
Electric Boiler	< 88		(1)						
	< 88	CAN/SCA-P.2	AFUE ≥ 90%						
Gas Fired Boiler	≥ 88 & < 733	ANSI/AHRI 1500 or DOE 10 CFR, Part 431, Subpart E, Appendix A	E₁≥ 83%						
Other									
Heat Loss/Heat Gain Calculation	BTU								
Nomenclature	AFUE= annual fuel utilization	n efficiency, E t= therma	al efficiency						
	Water Heate	rs Performance Ro	equirements						
Equipment	Capacity KW	Standard	Min. Efficiency	Proposed					
	≤ 12 kW (>50 L to		SL ≤ 35 + 0.20V (top inlet)						
	≤ 270 L capacity)	CAN/CSA-C191	SL ≤ 40 + 0.20V (bottom inlet)						
Tank Storage	≤ 12 kW		$SL \le (0.472V) - 38.5 \text{ (top inlet)}$						
Electric	(>270 L to ≤ 454 L capacity)		SL ≤ (0.472V) - 33.5 (bottom inlet)						
	>12 kW	ANSI Z21.10.3/CSA 4.3 or DOE 10 CFR, Part 431, Subpart G App B	SL <u><</u> 0.30 + (102.2 V _s)						
	≤ 22 kW and first-hour rating < 68 L		UEF ≥ 0.3456 - (0.00053 V _s)						
	≤ 22 kW and first-hour rating ≥ 68 L but < 193 L		UEF ≥ 0.5982 – (0.00050 V _s)						
Tank Storage	≤ 22 kW and first-hour rating ≥ 193 L but < 284 L	CAN/CSA-P.3	UEF ≥ 0.6483 - (0.00045 V _s)						
Gas Fired	≤ 22 kW and first-hour rating ≥ 284 L		UEF ≥ 0.6920 - (0.00034 V _s)						
	> 22 kW but ≤ 30.5kW and V _r ≤ 454 L		UEF ≥ 0.8107 – (0.00021 V _s)						
	> 22 kW	DOE 10 CFR, Part 431, Subpart G, Appendix A	$E_t \ge 90\%$ and $SL \le 0.84$ [(1.25 Q) + (16.57 $\sqrt{V_r}$)]						

Updated January 2024 Page 2 of 3



TIERED PRESCRIPTIVE COMPLIANCE

Section 9.36 of the National Building Code of Canada

Tankless Gas Fired	< 58.56 kW, V _r < 7.6 L and max. flow rate < 6.4 L/min	CAN/CSA-P.3	UEF ≥ 0.86	
	< 58.56 kW, $V_r \le 7.6$ L and max. flow rate ≥ 6.4 L/min	CAN/CSA-P.3	UEF ≥ 0.87	
	\geq 58.56 kW, V _r \leq 37.85 L and input rate to V _r ratio \geq 309 W/L	DOE 10 CFR, Part 431, Subpart G, Appendix C	E _t <u>></u> 94%	
Tankless, Electric	No standard addresses the p	performance efficiency;	however, their efficiency typical	ly approaches 100%
Other				
Nomenclature	 EF = energy factor Q = nameplate input rate, in k V_r = rated nominal storage vol 	W SL = standb	l efficiency with a 38.9°C (70°F) was by loss, in W red storage volume, in L	ater temp difference

⁽¹⁾ Must be equipped with automatic water temperature control. No standard addresses the performance efficiency; however their efficiency typically approaches 100%

Proposed House - Building Assembly Details:								
		Fram	ing		Insulation	Furnace Size:		
Ceiling:	" (0.C.		R	-	Furnace Rating:		
Exterior Wall:	2" x	@	" o.c.	R	-	Water Heater:		
Tall Wall:	2" x	@	" o.c.	R	-	HRV:	☐ Yes	□ No
Foundation Wall:	2" x	@	" o.c.	R	-	Air Conditioner:		
Floor Headers:				R	-	Air Barrier (NBC):		
Cantilever/Bonus Rm:	2" x	@	" O.C.	R	-	Attic Hatch:		
Slab:	☐ None	☐ Int I	□ Ext / (1.2m)		thick -	Doors (U-Values):		
Cladding Type:						Windows:		•
Comments:						(List all U-Values)		

Compliance via Tiered Prescriptive Results (9.36.8.)

This option applies only to buildings of residential occupancy to which Part 9 applies.

Energy Performance Measures	Minimum Energy Conservation Points (Zone 7a)
Above-Ground Walls	
Fenestration and Doors	
Below-Grade or In Contact with Ground	
Airtightness	
Ventilation Systems	
Service Water Heating Equipment	
Building Volume	
Total Energy Conservation Points Achieved:	
(Tier 2 requires at least 10 points)	

Where points are achieved through Table 9.36.8.8., an airtightness test is required to be conducted. Provide the Airtightness Certificate to office@pro-inspections.ca once complete but required prior to Occupancy inspection.

Updated January 2024 Page 3 of 3



Tiered Performance Compliance

Section 9.36 of the National Building Code of Canada

Compliance via Tiered Performance Results (9.36.7.)

(not Required for Energuide Compliance) Model Model Performance Total volume of conditioned space within the building or house > 300m³ and where volume is not determined Percent heat loss reduction (Required: ≥ 5%) (calculated by subtracting the annual gross space heat loss of the proposed house from the annual gross space heat loss of the reference house and dividing the result by annual gross space heat loss of the reference house) Achieved: Percent improvement (Required: ≥ 10%) Achieved:						
determined Percent heat loss reduction (Required: ≥ 5%) (calculated by subtracting the annual gross space heat loss of the proposed house from the annual gross space heat loss of the reference house and dividing the result by annual gross space heat loss of the reference house)						
(calculated by subtracting the annual gross space heat loss of the proposed house from the annual gross space heat loss of the reference house and dividing the result by annual gross space heat loss of the reference house)						
Percent improvement (Required: ≥ 10%) Achieved:						
(calculated by subtracting the annual energy consumption of the proposed house from the house energy target of the reference house and diving the result by the house energy target of the reference						
house), or or						
Percent house energy target (Required: ≤ 90%) (calculated by dividing the annual energy consumption of the proposed house by the house energy target of the reference house) Achieved:						
Peak cooling load (≤ reference house) □ Yes □	No					
Total volume of conditioned space within the building or house ≤ 300m³ and where volume is not determined						
Percent house energy target (Required: ≤ 100%) (calculated by dividing the annual energy consumption of the proposed house by the house energy target of the reference house) Achieved:						
Declaration						
Name Company						
Email Phone						
I hereby certify that the design parameters and/or calculations submitted were prepared in full accordance with the operation procedures of the software and:						
Subsection 9.36.5 of the 2020 NBC.						
☐ EnerGuide Rating System, v15. I am a qualified Energy Advisor and the submitted design achieves the minimum 10% annual energy improvement target of 2020 NBC, Tier 2. (a compliance summary will be submitted prior to full occupancy)						
Signature: Date:						

Where the air-leakage rate is a value less than 3.2 ACH@50 Pa, an airtightness test is required to be conducted. Provide the Airtightness Certificate to Office@pro-inspections.ca once complete (required prior to Occupancy inspection).

Updated January 2024 Page 2 of 2



Applicant Signature

Third Party Costs Acceptance Form

١,	of				
	(please print name)	(city, province)			
accord	·	enwold No. 158 to invoice third party costs to me in u, which states that the Applicant shall be solely			
1.	Fulfilling public notification requirements stakeholders;	, including the cost of advertising and notifying			
2.		eering, legal, or other professional expertise necessary nt Council's decision, including the cost of preparing			
3.	The cost per parcel to view land titles and development, amendment, or subdivision	d plans of subdivision of the property proposed for n; and			
4.	Registration of an interest on the title of or subdivision as prescribed by the Inform	the property proposed for development, amendment, nation Services Corporation (Land Titles).			
Author	-	of Privacy Act and will be used solely for the purpose application.			

Date